

ISO TYPE 5

# CERTIFICATE OF CONFORMITY



*ApprovalMark International* hereby grants:

## FABFIT

T/A Holman Industries  
298A Stapylton-Jacobs Well Road  
Stapylton 4207  
AUSTRALIA

Evaluated to:


**AS/NZS 1260:2017 - PVC-U Pipes and fittings for drain, waste and vent applications**

The ISO Type 5 licensee shall comply with all the terms and conditions as stipulated by the governance of the operating rules of the ISO Type 5 scheme, and shall comply with the standard requirements at all times including when the standard is amended. The ISO Type 5 license only covers the product which is identified in the attached product schedule.

**Certificate No.** AMI 21246

**Issued:** 22nd July 2019  
**Expires:** 26th April 2021

**Original Issue:** 22nd July 2019



**John PRASAD**  
Director



**Registered by:** ApprovalMark International Pty Ltd (ABN 69 143 259 974) Unit 20, 33 Holbeche Road, Arndell Park NSW 2148 Australia. The assessment was carried with appropriate skill and assessment by ApprovalMark International Pty Ltd; however it will only accept its responsibility for proven negligence. The certificate remains the property of ApprovalMark International Pty Ltd.

ApprovalMark



# Product Schedule

## FABFIT

T/A Holman Industries  
298A Stapylton – Jacobs Well Road  
Stapylton 4207  
AUSTRALIA

## ISO Type 5 Certificate of Conformity

Evaluated to:

**AS/NZS 1260:2017 PVC-U pipes and fittings for drain, waste and vent application**

| Model Id   | Model Name              | Brand Name    | Product Description   | Endorsement Date           |
|------------|-------------------------|---------------|---|----------------------------|
| HolFab.001 | DWV Fittings, SN8, SN10 | Fabfit/Holman | 100MM BSP MALE IRON TO DWV SOCKET (F), SWJ  | 22 <sup>nd</sup> July 2019 |
| HolFab.002 | DWV Fittings, SN8, SN10 | Fabfit/Holman | BOUNDARY TRAP DWV, STD, NO-LOSS, ZERO-LOSS, SN8, 100MM - 375MM (F), SWJ                       | 22 <sup>nd</sup> July 2019 |
| HolFab.003 | DWV Fittings, SN8, SN10 | Fabfit/Holman | BOLTED TRAP SCREW, DWV, SN8, 100MM - 375MM (F), SWJ   | 22 <sup>nd</sup> July 2019 |
| HolFab.004 | DWV Fittings, SN8, SN10 | Fabfit/Holman | DWV, SN8, SN10, COUPLING SLIP, RR, SWJ, 100MM - 375MM, MOULDED/ FABRICATED                    | 22 <sup>nd</sup> July 2019 |
| HolFab.005 | DWV Fittings, SN8, SN10 | Fabfit/Holman | DWV, SN8, 1000MM LONG RADIUS BENDS, 150MM, 2.5 DEGREE - 90 DEGREE BENDS, SWJ                  | 22 <sup>nd</sup> July 2019 |
| HolFab.006 | DWV Fittings, SN8, SN10 | Fabfit/Holman | DWV, SN8, SN10, ELBOWS, 100MM - 375MM, 2.5 DEGREE - 90 DEGREE, F&F, MOULDED/ FABRICATED, SWJ  | 22 <sup>nd</sup> July 2019 |
| HolFab.007 | DWV Fittings, SN8, SN10 | Fabfit/Holman | DWV, SN8, SN10, ELBOWS, 100MM - 375MM, 2.5 DEGREE - 90 DEGREE, M&F, MOULDED/ FABRICATED, SWJ  | 22 <sup>nd</sup> July 2019 |
| HolFab.008 | DWV Fittings, SN8, SN10 | Fabfit/Holman | DWV, SN8, FLANGES, TABLE D, 100MM - 375MM, MOULDED/ FABRICATED, SWJ                           | 22 <sup>nd</sup> July 2019 |
| HolFab.009 | DWV Fittings, SN8, SN10 | Fabfit/Holman | DWV, SN8, FLAP VALVE MOZZIE PROOF, 100MM - 225MM MOULDED/ FABRICATED, SWJ                     | 22 <sup>nd</sup> July 2019 |
| HolFab.010 | DWV Fittings, SN8, SN10 | Fabfit/Holman | DWV, SN8, FLAP VALVE, 100MM - 375MM MOULDED/ FABRICATED, SWJ                                  | 22 <sup>nd</sup> July 2019 |
| HolFab.011 | DWV Fittings, SN8, SN10 | Fabfit/Holman | DWV, SN8, SN10, INSPECTION OPENING (IO), 100MM - 375MM MOULDED/ FABRICATED, SWJ               | 22 <sup>nd</sup> July 2019 |
| HolFab.012 | DWV Fittings, SN8, SN10 | Fabfit/Holman | DWV, SN8, SN10, 100MM - 375MM JUNCTIONS, 45 DEGREE - 90 DEGREE (M&F) MOULDED/ FABRICATED, SWJ | 22 <sup>nd</sup> July 2019 |
| HolFab.013 | DWV Fittings, SN8, SN10 | Fabfit/Holman | DWV, SN8, SN10, 100MM - 375MM JUNCTIONS, 45 DEGREE - 90 DEGREE (F&F) MOULDED/ FABRICATED, SWJ | 22 <sup>nd</sup> July 2019 |
| HolFab.014 | DWV Fittings, SN8, SN10 | Fabfit/Holman | DWV, SN8, SN10, LEVEL INVERT TAPER (LIT), 100MM - 375MM MOULDED/ FABRICATED., SWJ             | 22 <sup>nd</sup> July 2019 |
| HolFab.015 | DWV Fittings, SN8, SN10 | Fabfit/Holman | DWV, SN8, SN10, 100MM - 375MM REDUCER BUSH/ INPIPE, MOULDED/ FABRICATED, SWJ                  | 22 <sup>nd</sup> July 2019 |
| HolFab.016 | DWV Fittings, SN8, SN10 | Fabfit/Holman | DWV, SN8, SN10, SLAB REPAIR, 100MM - 375MM MOULDED/ FABRICATED, SWJ                           | 22 <sup>nd</sup> July 2019 |



# Product Schedule

| Model Id   | Model Name              | Brand Name    | Product Description  | Endorsement Date           |
|------------|-------------------------|---------------|--|----------------------------|
| HolFab.017 | DWV Fittings, SN8, SN10 | Fabfit/Holman | DWV, SN8, SN10, TAPPING SADDLES, 100MM - 375MM, 45 DEGREE - 90 DEGREE, MOULDED/ FABRICATED, SWJ            | 22 <sup>nd</sup> July 2019 |
| HolFab.018 | DWV Fittings, SN8, SN10 | Fabfit/Holman | DWV, SN8 EXPANSION COUPLING, 150MM - 375MM, MOULDED/ FABRICATED  | 22 <sup>nd</sup> July 2019 |
| HolFab.019 | DWV Fittings, SN8, SN10 | Fabfit/Holman | DWV, SN8, SN10, RR, 100MM - 375MM, 15 DEGREE - 90 DEGREE, BEND, F&F UNGLASSED, MOULDED/ FABRICATED         | 22 <sup>nd</sup> July 2019 |
| HolFab.020 | DWV Fittings, SN8, SN10 | Fabfit/Holman | DWV, SN8, SN10, RR, 100MM - 375MM, 15 DEGREE - 90 DEGREE, BEND, M&F UNGLASSED, MOULDED/ FABRICATED         | 22 <sup>nd</sup> July 2019 |
| HolFab.021 | DWV Fittings, SN8, SN10 | Fabfit/Holman | DWV, SN8, SN10, RR, 100MM - 375MM, 15 DEGREE - 90 DEGREE, BEND, F&F GLASSED, MOULDED/ FABRICATED           | 22 <sup>nd</sup> July 2019 |
| HolFab.022 | DWV Fittings, SN8, SN10 | Fabfit/Holman | DWV, SN8, SN10, RR, 100MM - 375MM, 15 DEGREE - 90 DEGREE, BEND, M&F GLASSED, MOULDED/ FABRICATED           | 22 <sup>nd</sup> July 2019 |
| HolFab.023 | DWV Fittings, SN8, SN10 | Fabfit/Holman | DWV, SN8, SN10, RR, MANHOLE COUPLING, SANDED/ UNSANDED, M&F  | 22 <sup>nd</sup> July 2019 |
| HolFab.024 | DWV Fittings, SN8, SN10 | Fabfit/Holman | DWV, SN8, SN10, RR, MANHOLE COUPLING, SANDED/ UNSANDED, F&F  | 22 <sup>nd</sup> July 2019 |
| HolFab.025 | DWV Fittings, SN8, SN10 | Fabfit/Holman | DWV, SN8, SN10, INSERT RING, RR, SWJ, 100MM - 375MM, MOULDED/ FABRICATED                                   | 22 <sup>nd</sup> July 2019 |
| HolFab.026 | DWV Fittings, SN8, SN10 | Fabfit/Holman | DWV, SN8, SN10, RR, INSPECTION OPENING (IO), 2 CAP, 100MM - 375MM, UNGLASSED, MOULDED/ FABRICATED          | 22 <sup>nd</sup> July 2019 |
| HolFab.027 | DWV Fittings, SN8, SN10 | Fabfit/Holman | DWV, SN8, SN10, RR, INSPECTION OPENING (IO), 2 CAP, 100MM - 375MM, GLASSED, MOULDED/ FABRICATED            | 22 <sup>nd</sup> July 2019 |
| HolFab.028 | DWV Fittings, SN8, SN10 | Fabfit/Holman | DWV, SN8, SN10, RR, DEEP SEWER JUNCTION, 100MM - 375MM, 45 DEGREE - 90 DEG UNGLASSED, MOULDED/ FABRICATED  | 22 <sup>nd</sup> July 2019 |
| HolFab.029 | DWV Fittings, SN8, SN10 | Fabfit/Holman | DWV, SN8, SN10, RR, DEEP SEWER JUNCTION, 100MM - 375MM, 45 DEGREE - 90 DEGREE GLASSED, MOULDED/ FABRICATED | 22 <sup>nd</sup> July 2019 |
| HolFab.030 | DWV Fittings, SN8, SN10 | Fabfit/Holman | DWV, SN8, SN10, RR, JUNCTION, F&F, 100MM - 375MM, 45 DEGREE - 90 DEGREE, UNGLASSED, MOULDED/ FABRICATED    | 22 <sup>nd</sup> July 2019 |
| HolFab.031 | DWV Fittings, SN8, SN10 | Fabfit/Holman | DWV, SN8, SN10, RR, JUNCTION, F&F, 100MM - 375MM, 45 DEGREE - 90 DEGREE, GLASSED, MOULDED/ FABRICATED      | 22 <sup>nd</sup> July 2019 |
| HolFab.032 | DWV Fittings, SN8, SN10 | Fabfit/Holman | DWV, SN8, SN10, RR, JUNCTION, M&F, 100MM - 375MM, 45 DEGREE - 90 DEGREE, UNGLASSED, MOULDED/ FABRICATED    | 22 <sup>nd</sup> July 2019 |
| HolFab.033 | DWV Fittings, SN8, SN10 | Fabfit/Holman | DWV, SN8, SN10, RR, JUNCTION, M&F, 100MM - 375MM, 45 DEGREE - 90 DEGREE, GLASSED, MOULDED/ FABRICATED      | 22 <sup>nd</sup> July 2019 |
| HolFab.034 | DWV Fittings, SN8, SN10 | Fabfit/Holman | DWV, SN8, SN10, RR, JUNCTION WITH CAP, 100MM - 375MM, 45 DEGREE - 90 DEGREE, GLASSED, MOULDED/ FABRICATED  | 22 <sup>nd</sup> July 2019 |



# Product Schedule

| Model Id   | Model Name              | Brand Name    | Product Description  | Endorsement Date           |
|------------|-------------------------|---------------|--|----------------------------|
| HolFab.035 | DWV Fittings, SN8, SN10 | Fabfit/Holman | DWV, SN8, SN10, RR, JUNCTION WITH SWJ BRANCH, 100MM - 375MM, 45 DEGREE - 90 DEGREE, GLASSED, MOULDED/ FABRICATED | 22 <sup>nd</sup> July 2019 |
| HolFab.036 | DWV Fittings, SN8, SN10 | Fabfit/Holman | DWV, SN8, SN10, RR, LEVEL INVERT TAPER (LIT), 100MM - 375MM UNGLASSED MOULDED/ FABRICATED                        | 22 <sup>nd</sup> July 2019 |
| HolFab.037 | DWV Fittings, SN8, SN10 | Fabfit/Holman | DWV, SN8, SN10, RR, LEVEL INVERT TAPER (LIT), 100MM - 375MM GLASSED, MOULDED/ FABRICATED                         | 22 <sup>nd</sup> July 2019 |
| HolFab.038 | DWV Fittings, SN8, SN10 | Fabfit/Holman | PN12, SN8, DWV SOCKET, RR, 150MM - 300MM, SANDED/ UNSANDED M&F   | 22 <sup>nd</sup> July 2019 |
| HolFab.039 | DWV Fittings, SN8, SN10 | Fabfit/Holman | PN12, SN8, DWV SOCKET, RR, 150MM - 300MM, SANDED/ UNSANDED F&F   | 22 <sup>nd</sup> July 2019 |
| HolFab.040 | DWV Fittings, SN8, SN10 | Fabfit/Holman | DN150 DWV, SN8, RR, 1000 RADIUS, 2.5 DEGREE - 90 DEGREE BENDS M&F  | 22 <sup>nd</sup> July 2019 |
| HolFab.041 | DWV Fittings, SN8, SN10 | Fabfit/Holman | DN150 DWV, SN8, RR, 3000 RADIUS, 2.5 DEGREE - 90 DEGREE BENDS M&F  | 22 <sup>nd</sup> July 2019 |
| HolFab.042 | DWV Fittings, SN8, SN10 | Fabfit/Holman | DN150 DWV, SN8, RR, 635 RADIUS, 2.5 DEGREE - 90 DEGREE BENDS M&F   | 22 <sup>nd</sup> July 2019 |
| HolFab.043 | DWV Fittings, SN8, SN10 | Fabfit/Holman | DWV, SN8, VERTICAL BACK DROP ASSEMBLY 100MM - 150MM, MOULDED/ FABRICATED   | 22 <sup>nd</sup> July 2019 |
| HolFab.044 | DWV Fittings, SN8, SN10 | Fabfit/Holman | DWV, SN8, DROP JUNCTIONS 100MM - 300MM, MOULDED/ FABRICATED, SWJ   | 22 <sup>nd</sup> July 2019 |
| HolFab.045 | DWV Fittings, SN8, SN10 | Fabfit/Holman | DWV, SN8, DROP BENDS F&F M&F 100MM - 300MM, MOULDED/ FABRICATED, SWJ   | 22 <sup>nd</sup> July 2019 |

*End of record*

**Certificate No: AMI 21246**

*The models identified above in the schedule are endorsed for ISO Type 5 application only.*